
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

Phosphate Buffered Saline 10 mL

Report To:
Purus Peptides

Compound: Phosphate Buffered Saline
Amount: 10 mL
Laboratory ID: V261102-30 001
Lot Number: PBS-10ML-PP-01
Date Released: 11/10/2026



Analysis	Method	Result	
Identity: Retention Time	HPLC-UV/VIS	Pass - Matches Ref. Standard	
Identity: Spectral Analysis	HPLC-UV/VIS	Pass - Matches Ref. Standard	
pH	USP <791>	7.46	7.47



ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on #######

Approved By: Tori Johnson, Operations Director on #######

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.